

View Online at https://aerobasegroup.com/nsn/5905-00-089-6690

view Online at https://aeiobasegioup.com/hsi//3903-00-00
Section Quantity:
2
Reliability Indicator:
Not established
Body Diameter:
1.820 inches
Shaft Diameter:
0.250 inches
Shaft Length:
1.687 inches
Mounting Bushing Length:
0.312 inches
Body Length:
3.641 inches
Shaft Style:
Round
Actuator Type:
Single shaft
Effective Electrical Rotation In Deg Angular Rotation:
3600.0
Maximum Starting Torque:
4.00 inch-ounces
Maximum Running Torque:
3.00 inch-ounces
Screw Thread Diameter:
0.375 inches
Screw Thread Series Designator:
Unef
Screw Thready Qty Per Inch (tpi):
32.0
Mounting Method:
Standard bushing
Features Provided:
Nonmetallic shaft
Electrical Resistance Per Section:
1.000 kilohms 2nd section
Rotary Actuator Travel In Angular Deg:
3600.0
Function Conformity Tolerance Per Section:
-0.05 to 0.05 single section
Power Dissipation Rating Per Section In Watts:
5.0 free air single section

5.0 free air single section



Function Conformity Per Section:

Single section independent linearity

Resistance Tolerance Per Section In Percent:

-3.0/+3.0 all sections

Actuator Travel Control Feature:

Continuous motion

Function Characteristic Per Section:

Single section linear

Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

40.0 single section

Terminal Type And Quantity:

6 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0