

View Online at https://aerobasegroup.com/nsn/5905-00-089-9527

## Section Quantity:

2

Body Style:

Rectangular w/tab/flange mounted

# Reliability Indicator:

Not established

## Thread Length:

0.900 inches

#### **Overall Length:**

11.580 inches

#### **Overall Width:**

2.000 inches

### Mounting Hole Diameter:

0.201 inches

#### Shaft Diameter:

## 0.188 inches

Shaft Length:

### 4.830 inches

Body Length:

# 6.110 inches

Body Width:

0.950 inches

#### Body Height:

1.930 inches

## Mounting Hole/stud Circle Diameter:

0.201 inches

#### Shaft Style:

Round, threaded

#### Actuator Type:

Single shaft

## **Distance Between Mounting Hole Centers:**

1.440 inches

## Lateral Distance Between Mounting Hole Centers:

5.550 inches

## **Mounting Facility Quantity:**

4

## Terminal Location:

Rear end

## **Mounting Method:**

Unthreaded hole

#### **Electrical Resistance Per Section:**

12.5 kilohms all sections



# Function Conformity Tolerance Per Section:

-0.50/+0.50 all sections

# Power Dissipation Rating Per Section In Watts:

0.1 free air all sections

# Fixed Tap Quantity Per Section:

1 all sections

# **Resistance Tolerance Per Section In Percent:**

-10.0/+10.0 all sections

# Tap Location From Ccw Terminal Per Section In Ohms:

6250.0 all sections

# Function Characteristic Per Section:

All sections linear

# Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

125.0 all sections

# Test Data Document:

80378-215-48103-5 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

## **Terminal Type And Quantity:**

8 wire lead

Shelf Life:

N/a

Unit Of Measure:

#### Demilitarization:

No

--

## Fiig:

A002a0