NSN 5905-00-096-3455

Film Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-096-3455

Transporture Oct Minimus Of Basistanas In Burn Bas Bas Octobres
empurature Coefficient Of Resistance In Ppm Per Deg Celsius:
25.0 to 25.0
Electrical Resistance:
68.000 kilohms
Resistance Tolerance In Percent:
0.100 to 0.100
Ambient Tempurature In Deg Celsius At Full Rated Power:
25.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
75.0
empurature Range Of Tempurature Coefficient In Deg Celsius:
55.0/+175.0
nclosure Method:
ncapsulated
erminal Type:
Vire lead
Reliability Indicator:
Established
Reliability Failure Rate Level In Percent:
.001
Body Diameter:
1.188 inches
Body Length:
1.625 inches
Power Dissipation Rating In Watts:
2.250 free air
Style Designator:
exial terminal each end
est Data Document:
1349-mil-r-55182 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
ormat; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
1349-mil-r-55182/5 government specification
Shelf Life:
Init Of Measure:
- Thousand.
Demilitarization:
No.
king. kingo
iig: