## NSN 5905-00-100-1331

Inductive Wire Wound Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-100-1331

View Online at https://aerobasegroup.com/nsn/5905-00-100-1331
Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
-200.0 to 400.0
Electrical Resistance:
5.000 ohms
Resistance Tolerance In Percent:
-5.000 to 5.000-5.000 to 5.000
Ambient Tempurature In Deg Celsius At Full Rated Power:
25.025.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
Not rated
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-55.0 to 275.0-55.0 to 275.0
Inclosure Method:
Encapsulatedencapsulated
Terminal Type:
Ferruleferrule
Reliability Indicator:
Not establishednot established
Body Diameter:
Between 0.438 inches and 0.438 inches and 0.750 inches 0.750 inches
Body Length:
Between 2.250 inches and 2.250 inches and 2.376 inches 2.376 inches
Power Dissipation Rating In Watts:
14.000 free air14.000 free air
Cubic Measure (non-core):
1.049 cubic inches
Style Designator:
Axial terminal each endaxial terminal each end
Test Data Document:
81349-mil-r-26 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format;
excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental
and performance requirements and test conditions that are shown as "typical", "average", "", etc.).81349-mil-r-26 specification (includes
engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs,
industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements an
test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
81349-mil-r-26/1 government specification81349-mil-r-26/1 government specification
Shelf Life:
N/a
Unit Of Measure:

Fiig:

No

Demilitarization: