NSN 5905-00-100-1648

Inductive Wire Wound Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-100-1648

-260.0 to 260.0-260.0 to 260.0

Electrical Resistance:

120.000 ohms120.000 ohms

Resistance Tolerance In Percent:

-5.000 to 5.000-5.000 to 5.000

Ambient Tempurature In Deg Celsius At Full Rated Power:

25.025.0

Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

Not rated

Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-55.0 to 275.0-55.0 to 275.0

Inclosure Method:

Encapsulatedencapsulated

Terminal Type:

Ferruleferrule

Reliability Indicator:

Not establishednot established

Body Diameter:

Between 0.438 inches and 0.438 inches and 0.750 inches 0.750 inches

Body Length:

Between 2.250 inches and 2.250 inches and 2.376 inches 2.376 inches

Power Dissipation Rating In Watts:

14.000 free air14.000 free air

Cubic Measure (non-core):

1.049 cubic inches

Style Designator:

Axial terminal each endaxial terminal each end

Test Data Document:

81349-mil-r-26 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).81349-mil-r-26 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81349-mil-r-26/1 government specification81349-mil-r-26/1 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

1001