View Online at https://aerobasegroup.com/nsn/5905-00-100-8474

# Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-260.0 to 260.0

## **Electrical Resistance:**

10.000 kilohms

## **Resistance Tolerance In Percent:**

-5.000 to 5.000

## Ambient Tempurature In Deg Celsius At Full Rated Power:

## 25.0

## Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

275.0

## Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-55.0 to 275.0

## **Inclosure Method:**

Encapsulated

## Terminal Type:

Tab, solder lug

## **Reliability Indicator:**

Not established

## **Terminal Length:**

Between 0.281 inches and 0.531 inches

# Body Diameter:

0.906 inches

# Body Length:

3.000 inches

## **Power Dissipation Rating In Watts:**

30.000 free air

## Err Default:

Between 0.172 inches and 0.328 inches

## **Unpackaged Unit Weight:**

22.5 grams

## Style Designator:

Radial terminal each end

## Test Data Document:

81349-mil-r-26 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Specification Data:**

81349-mil-r-26/3 government specification

#### Shelf Life:

N/a

#### Unit Of Measure:

--

# Demilitarization:

No

# NSN 5905-00-100-8474

Inductive Wire Wound Fixed Resistor - Page 2 of 2

Fiig: A001a0

