NSN 5905-00-102-0952

Inductive Wire Wound Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-102-0952

2.500 ohms Resistance Tolerance In Percent: -1.000 to 1.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 25.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 105.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability Indicator: Not established
-1.000 to 1.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 25.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 105.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability Indicator:
Ambient Tempurature In Deg Celsius At Full Rated Power: 25.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 105.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability Indicator:
25.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 105.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability Indicator:
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 105.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability Indicator:
Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability Indicator:
Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability Indicator:
Encapsulated Terminal Type: Tab, solder lug Reliability Indicator:
Terminal Type: Tab, solder lug Reliability Indicator:
Tab, solder lug Reliability Indicator:
Reliability Indicator:
Not established
Not established
Terminal Length:
1.000 inches
Body Diameter:
0.188 inches
Body Length:
1.000 inches
Power Dissipation Rating In Watts:
1.000 free air
Terminal Width:
0.062 inches
Style Designator:
Radial terminal each end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A001a0