## NSN 5905-00-107-8909

Adjustable Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-107-8909

Electrical Resistance:
1.000 kilohms
Resistance Tolerance In Percent:
-10.000 to 10.000
Ambient Tempurature In Deg Celsius At Full Rated Power:
40.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
340.0
Inclosure Method:
Encased
Terminal Type:
Tab, solder lug
Reactance Characteristic:
Inductive
Reliability Indicator:
Not established
Terminal Length:
0.562 inches
Body Diameter:
0.750 inches
Body Length:
Body Longin.
6.500 inches
6.500 inches
6.500 inches  Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
6.500 inches  Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 7.375 inches
6.500 inches  Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 7.375 inches  Power Dissipation Rating In Watts:
6.500 inches  Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 7.375 inches  Power Dissipation Rating In Watts: 100.000 free air
6.500 inches  Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 7.375 inches  Power Dissipation Rating In Watts: 100.000 free air  Terminal Width:
6.500 inches  Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 7.375 inches  Power Dissipation Rating In Watts: 100.000 free air  Terminal Width: 0.250 inches
6.500 inches  Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 7.375 inches  Power Dissipation Rating In Watts: 100.000 free air  Terminal Width: 0.250 inches  Mounting Hole Size:
6.500 inches  Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 7.375 inches  Power Dissipation Rating In Watts: 100.000 free air  Terminal Width: 0.250 inches  Mounting Hole Size: 0.196 inches
6.500 inches  Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 7.375 inches  Power Dissipation Rating In Watts: 100.000 free air  Terminal Width: 0.250 inches  Mounting Hole Size: 0.196 inches  Style Designator:
6.500 inches  Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 7.375 inches  Power Dissipation Rating In Watts: 100.000 free air  Terminal Width: 0.250 inches  Mounting Hole Size: 0.196 inches  Style Designator: Radial terminal each end
6.500 inches  Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 7.375 inches  Power Dissipation Rating In Watts: 100.000 free air  Terminal Width: 0.250 inches  Mounting Hole Size: 0.196 inches  Style Designator: Radial terminal each end  Shelf Life:
6.500 inches  Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 7.375 inches  Power Dissipation Rating In Watts: 100.000 free air  Terminal Width: 0.250 inches  Mounting Hole Size: 0.196 inches  Style Designator: Radial terminal each end  Shelf Life: N/a
6.500 inches  Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 7.375 inches  Power Dissipation Rating In Watts: 100.000 free air  Terminal Width: 0.250 inches  Mounting Hole Size: 0.196 inches  Style Designator: Radial terminal each end  Shelf Life: N/a
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 7.375 inches  Power Dissipation Rating In Watts: 100.000 free air  Terminal Width: 0.250 inches  Mounting Hole Size: 0.196 inches  Style Designator: Radial terminal each end  Shelf Life: N/a  Unit Of Measure:
6.500 inches  Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 7.375 inches  Power Dissipation Rating In Watts: 100.000 free air  Terminal Width: 0.250 inches  Mounting Hole Size: 0.196 inches  Style Designator: Radial terminal each end  Shelf Life: N/a  Unit Of Measure:  Demilitarization: