NSN 5905-00-108-5859

Section Quantity:

Reliability Indicator:

Not established

Overall Length:

Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-108-5859

3.063 inches	
First Flat Length:	
0.250 inches	
Flat Height:	
0.216 inches	
Body Diameter:	
1.063 inches	
Shaft Diameter:	
0.250 inches	
Shaft Length:	
1.875 inches	
Mounting Bushing Length:	
0.375 inches	
Body Length:	
1.188 inches	
Shaft Style:	
Round, flatted	
Actuator Type:	
Single shaft	
Nonturn Device Location:	
At 3 oclock and at 9 oclock	
Nonturn Device Radius:	
0.531 inches	
Screw Thread Diameter:	
0.375 inches	
Screw Thread Series Designator:	
Unef	
Screw Thready Qty Per Inch (tpi):	
32.0	
Mounting Method:	
Standard bushing	
Electrical Resistance Per Section:	
500.000 kilohms 2nd section	
Power Dissipation Rating Per Section In Watts:	
2.0 free air all sections	
Resistance Tolerance Per Section In Percent:	
-20.0 to 20.0 2nd section	

NSN 5905-00-108-5859

Fiig: A002a0

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2

