Wire Wound Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-110-5110

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-30.0 to 30.0-30.0 to 30.0

Electrical Resistance:

36.700 ohms36.700 ohms

Resistance Tolerance In Percent:

-0.154 to 0.154-0.154 to 0.154

Ambient Tempurature In Deg Celsius At Full Rated Power:

66.066.0

Tempurature Range Of Tempurature Coefficient In Deg Celsius:

+25.0 to 85.0+25.0 to 85.0

Inclosure Method:

Encapsulatedencapsulated

Terminal Type:

Wire leadwire lead

Reactance Characteristic:

Inductiveinductive

Reliability Indicator:

Not establishednot established

Body Diameter:

0.375 inches 0.375 inches

Body Length:

0.688 inches 0.688 inches

Power Dissipation Rating In Watts:

0.600 free air0.600 free air

Style Designator:

Axial terminal each endaxial terminal each end

Test Data Document:

64959-ks16764 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).64959-ks16764 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

```
Shelf Life:
N/a
Unit Of Measure:
--
Demilitarization:
No
Fiig:
```

A001a0