NSN 5905-00-112-4168

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-112-4168

Section Quantity:
1
Body Style:
Cylindrical studs mounted
Reliability Indicator:
Not established
Overall Length:
3.438 inches
Body Diameter:
3.000 inches
Mounting Hole Diameter:
0.1495 inches
Shaft Diameter:
0.250 inches
Shaft Length:
0.938 inches
Mounting Bushing Length:
0.375 inches
Body Length:
2.500 inches
Mounting Hole/stud Circle Diameter:
0.875 inches
Shaft Style:
Round
Actuator Type:
Single shaft
Mounting Facility Quantity:
3
Terminal Location:
Radially positioned over less than half the circumference
Mounting Method:
Unthreaded hole
Electrical Resistance Per Section:
10.0 kilohms single section
Power Dissipation Rating Per Section In Watts:
15.0 free air single section
Resistance Tolerance Per Section In Percent:
-10.0 to 10.0 single section
Standard Taper Curve Per Section:

A single section

Special Features:

360 degrees continuous rotati on

NSN 5905-00-112-4168

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Terminal Type And Quantity:
3 threaded stud
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A002a0