

View Online at https://aerobasegroup.com/nsn/5905-00-114-4570

### Section Quantity:

1

Body Style:

Cylindrical bushing mounted

### **Reliability Indicator:**

Not established

### **Overall Length:**

0.906 inches

#### **Body Diameter:**

1.250 inches

### Shaft Diameter:

0.250 inches

#### Shaft Length:

0.625 inches

### Mounting Bushing Length:

### 0.375 inches

**Body Length:** 

0.760 inches

### **Overall Diameter:**

1.250 inches

### Shaft Style:

Round

### Actuator Type:

Single shaft

### Effective Electrical Rotation In Deg Angular Rotation:

555.0

### Screw Thread Diameter:

0.375 inches

### **Screw Thread Series Designator:**

Unef

## Screw Thready Qty Per Inch (tpi):

32.0

## **Terminal Location:**

Radially positioned over less than half the circumference

### **Mounting Method:**

Standard bushing

## Features Provided:

Nonmetallic shaft

## **Electrical Resistance Per Section:**

200.0 ohms single section

# Function Conformity Tolerance Per Section:

-0.50 to 0.50 single section



### Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

100.0 single section

### **Power Dissipation Rating Per Section In Watts:**

3.0 free air single section

## Function Conformity Per Section:

Single section independent linearity

## **Resistance Tolerance Per Section In Percent:**

-3.0 to 3.0 single section

### **Function Characteristic Per Section:**

Single section linear

### Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

25.0 single section

### **Terminal Type And Quantity:**

3 tab, solder lug

#### Shelf Life:

N/a

### Unit Of Measure:

---

### Demilitarization:

No

## Fiig:

A002a0