Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-119-3323

Section Quantity:

1

Body Style:

Rectangular

Reliability Indicator:

Not established

Body Length:

0.469 inches

Body Width:

0.820 inches

Body Height:

1.109 inches

Actuator Type:

Flush drive with slot-hole

Effective Electrical Rotation In Deg Angular Rotation:

246.0

Maximum Starting Torque:

10.00 inch-ounces

Maximum Running Torque:

0.50 inch-ounces

Terminal Location:

Lower adjacent side single row

Mounting Method:

Bracket

Features Provided:

Grounded contact arm

Electrical Resistance Per Section:

95.5 ohms single section

Rotary Actuator Travel In Angular Deg:

246.0

Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

105.0 single section

Power Dissipation Rating Per Section In Watts:

2.0 free air single section

Resistance Tolerance Per Section In Percent:

-20.0 to 20.0 single section

Actuator Travel Control Feature:

Stops

Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

55.0 single section

Standard Taper Curve Per Section:

A single section



Terminal Type And Quantity:

2 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A002a0