Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-126-1685

View Online at https://aerobasegroup.com/nsn/5905-00-126-1685	
Section Quantity:	
1	
Body Style:	
Cylindrical	
Reliability Indicator:	
Not established	
Body Diameter:	
0.813 inches	
Body Length:	
0.438 inches	
Actuator Type:	
Flush drive with slot-hole	
Effective Electrical Rotation In Deg Angular Rotation:	
290.0	
Terminal Location:	
Lower adjacent side single row	
Mounting Method:	
Tab	
Electrical Resistance Per Section:	
500.0 ohms single section	
Rotary Actuator Travel In Angular Deg:	
320.0	
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:	
105.0 single section	
Power Dissipation Rating Per Section In Watts:	
1.5 free air single section	
Resistance Tolerance Per Section In Percent:	
-10.0 to 10.0 single section	
Actuator Travel Control Feature:	
Stops	
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:	
55.0 single section	
Standard Taper Curve Per Section:	
A single section	
Terminal Type And Quantity:	
3 tab, solder lug	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	

NSN 5905-00-126-1685

Nonprecision Wire Wound Variable Resistor - Page 2 of 2

Fiig: A002a0

