Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-132-2328

Section Quantity: 1 **Body Style:** Rectangular w/mounting holes **Reliability Indicator:** Not established **Overall Length:** Between 0.430 inches and 0.470 inches **Overall Height:** Between 0.365 inches and 0.385 inches **Overall Width:** Between 0.185 inches and 0.195 inches **Mounting Hole Diameter:** Between 0.076 inches and 0.078 inches Shaft Diameter: Between 0.091 inches and 0.095 inches Shaft Length: Between 0.065 inches and 0.085 inches **Body Length:** Between 0.365 inches and 0.385 inches **Body Width:** Between 0.185 inches and 0.195 inches **Body Height:** Between 0.365 inches and 0.375 inches Shaft Style: Round, slotted Actuator Type: Single shaft Lateral Distance Between Mounting Hole Centers: Between 0.365 inches and 0.385 inches **Mounting Facility Quantity:** 2 **Terminal Location:** Rear end **Mounting Method:** Unthreaded hole **Electrical Resistance Per Section:** 2.0 kilohms single section **Rotary Actuator Travel In Angular Deg:** 360.0 Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

175.0 single section

# NSN 5905-00-132-2328 Nonprecision Wire Wound Variable Resistor - Page 2 of 2

AeroBase Group

Power Dissipation Rating Per Section In Watts:

1.0 free air single section

#### **Resistance Tolerance Per Section In Percent:**

-5.0 to 5.0 single section

# Actuator Travel Control Feature:

Continuous motion

## Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

50.0 single section

## Standard Taper Curve Per Section:

A single section

## Terminal Type And Quantity:

3 wire lead

Shelf Life:

N/a

#### Unit Of Measure:

---

# Demilitarization:

No

#### Fiig:

A002a0