NSN 5905-00-132-2564

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-132-2564

Section Quantity:
1
Body Style:
Cylindrical
Reliability Indicator:
Not established
Overall Length:
0.438 inches
Body Diameter:
0.750 inches
Body Length:
0.313 inches
Overall Diameter:
0.750 inches
Actuator Type:
Flush drive with slot-hole
Effective Electrical Rotation In Deg Angular Rotation:
240.0
Fragility Factor:
Moderately delicate
Terminal Location:
Rear end
Mounting Method:
Tab
Features Provided:
Grounded contact arm
Electrical Resistance Per Section:
6.000 kilohms single section
Rotary Actuator Travel In Angular Deg:
240.0
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
105.0 single section
Power Dissipation Rating Per Section In Watts:
2.0 free air single section
Resistance Tolerance Per Section In Percent:
-10.0 to 10.0 single section
Actuator Travel Control Feature:
Stops
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
55.0 single section
Standard Taper Curve Per Section:

A single section

NSN 5905-00-132-2564

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Terminal	Type And	Quantity:
2 tab. so	lder lua	

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0