## NSN 5905-00-137-4599

Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-137-4599 **Section Quantity: Body Style:** Rectangular **Reliability Indicator:** Not established **Body Length:** 0.318 inches **Body Width:** 0.444 inches **Body Height:** 0.790 inches **Actuator Type:** Integral knob **Effective Electrical Rotation In Deg Angular Rotation:** 250.0 **End Application:** Integrated underwater surviellance systems. **Terminal Location:** Lower adjacent side single row **Mounting Method: Bracket Electrical Resistance Per Section:** 1.5 kilohms all sections **Rotary Actuator Travel In Angular Deg:** 290.0 Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power: 105.0 all sections **Power Dissipation Rating Per Section In Watts:** 1.0 free air all sections **Resistance Tolerance Per Section In Percent:** -30.0 to 30.0 all sections **Actuator Travel Control Feature:** Stops Ambient Tempurature In Deg Celsius Per Section At Full Rated Power: 70.0 all sections **Standard Taper Curve Per Section:** A single section **Terminal Type And Quantity:** 12 tab, solder lug

N/a

Shelf Life:

## NSN 5905-00-137-4599

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2



	• -			
In	ıŧ	( )t	Measure	•

--

Demilitarization:

No

Fiig:

A002a0