## NSN 5905-00-137-8050

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-137-8050 **Section Quantity: Body Style:** Cylindrical bushing mounted **Body Diameter:** 1.250 inches **Shaft Diameter:** 0.250 inches **Shaft Length:** 1.062 inches **Mounting Bushing Length:** 0.375 inches **Shaft Style:** Round Switch Type: Rotary **Switch Voltage Rating In Volts:** 125.0 **Actuator Type:** Single shaft **Nonturn Device Location:** At 3 oclock and at 9 oclock **Screw Thread Diameter:** 0.375 inches **Screw Thread Series Designator:** Unef Screw Thready Qty Per Inch (tpi): 32.0 **Mounting Method:** Standard bushing **Features Provided:** Switch **Electrical Resistance Per Section:** 5.000 kilohms single section **Power Dissipation Rating Per Section In Watts:** 4.0 free air single section **Resistance Tolerance Per Section In Percent:** -10.0 to 10.0 single section **Switch Current Type And Rating In Amps:** 3.000 ac

**Standard Taper Curve Per Section:** A single section

## NSN 5905-00-137-8050

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A002a0