## NSN 5905-00-139-2114

Film Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-139-2114

empurature Coefficient Of Resistance In Ppm Per Deg Celsius:
50.0 to 50.0
Electrical Resistance:
.620 kilohms
tesistance Tolerance In Percent:
0.100 to 0.100
ambient Tempurature In Deg Celsius At Full Rated Power:
25.0
ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
75.0
empurature Range Of Tempurature Coefficient In Deg Celsius:
55.0 to 175.0
nclosure Method:
incapsulated
erminal Type:
Vire lead
eliability Indicator:
stablished
eliability Failure Rate Level In Percent:
.001
ody Diameter:
.109 inches
Sody Length:
.250 inches
ower Dissipation Rating In Watts:
.100 free air
tyle Designator:
xial terminal each end
est Data Document:
1349-milr55182 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
ormat; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
nvironmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
helf Life:
l/a
Init Of Measure:
Demilitarization:
lo
iig:
.001a0