

View Online at https://aerobasegroup.com/nsn/5905-00-147-5233

## Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-15.0/+15.0

#### **Electrical Resistance:**

82.000 ohms

## **Resistance Tolerance In Percent:**

-0.100/+0.100

#### Ambient Tempurature In Deg Celsius At Full Rated Power:

#### 125.0

## Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

145.0

## Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-65.0 to 145.0

## **Inclosure Method:**

Encapsulated

#### **Terminal Type:**

Wire lead

## -----

Reliability Indicator:

## Established

**Reliability Failure Rate Level In Percent:** 

0.010

## **Terminal Length:**

1.550 inches

## Body Diameter:

Between 0.235 inches and 0.265 inches

## **Body Length:**

Between 0.468 inches and 0.520 inches

## **Power Dissipation Rating In Watts:**

0.150 free air

## **Unpackaged Unit Weight:**

2.0 grams

## Style Designator:

Axial terminal each end

## Test Data Document:

81349-mil-r-39005 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Specification Data:**

81349-mil-r-39005/4 government specification

#### Shelf Life:

N/a

#### Unit Of Measure:

--

# Demilitarization:

No

# NSN 5905-00-147-5233

Noninductive Wire Wound Fixed Resistor - Page 2 of 2

Fiig: A001a0

