NSN 5905-00-152-8415

Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-152-8415

Section Quantity:				
1				
Body Style:				
Rectangular				
Shaft Diameter:				
0.078 inches				
Shaft Length:				
0.040 inches				
Body Length:				
0.540 inches				
Body Width:				
0.172 inches				
Body Height:				
0.500 inches				
Shaft Style:				
Round, slotted				
Actuator Type:				
Single shaft				
Center To Center Distance Between Terminals:				
0.200 inches				
Terminal Location:				
Lower adjacent side single row				
Mounting Method:				
Terminal				
Features Provided:				
Nonmetallic shaft				
Electrical Resistance Per Section:				
500.000 ohms single section				
Center To Center Distance Between Center Terminal And Outside Terminal:				
0.100 inches				
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:				
150.0 single section				
Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:				
-250.0 to 250.0 single section				
Power Dissipation Rating Per Section In Watts:				
0.5 free air single section				
Resistance Tolerance Per Section In Percent:				
-10.0 to 10.0 single section				
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:				
85.0 single section				
Standard Taper Curve Per Section:				

A single section

NSN 5905-00-152-8415

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2



Test Data Document:

81349-milr22097 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal	Type A	And C	Quantity:
----------	--------	-------	-----------

3 pin

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A002a0