NSN 5905-00-159-6621

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-159-6621 **Section Quantity:** 2 **Body Style:** Cylindrical bushing mounted **Reliability Indicator:** Not established **Overall Length:** 2.460 inches **Body Diameter:** 0.960 inches **Shaft Diameter:** 0.250 inches **Shaft Length:** 1.750 inches **Mounting Bushing Length:** 0.380 inches **Body Length:** 0.710 inches **Overall Diameter:** 1.178 inches **Shaft Style:** Round, slotted **Actuator Type:** Single shaft **Effective Electrical Rotation In Deg Angular Rotation:** 310.0 **Maximum Starting Torque:** 6.00 inch-ounces **Maximum Running Torque:** 1.00 inch-ounces **Maximum Stop Torque:** 128.00 inch-ounces **Nonturn Device Location:** At 3 oclock **Nonturn Device Radius:** 0.359 inches **Fragility Factor:** Moderately rugged **Screw Thread Diameter:** 0.375 inches

Screw Thread Series Designator:

Unef

NSN 5905-00-159-6621

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Screw Thready Qty Per Inch (tpi):
32.0
Terminal Location:
Radially positioned over less than half the circumference
Mounting Method:
Standard bushing
Electrical Resistance Per Section:
200.0 ohms all sections
Rotary Actuator Travel In Angular Deg:
320.0
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
125.0 all sections
Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:
-70.0 to 70.0 all sections
Power Dissipation Rating Per Section In Watts:
3.0 free air 1st section
Resistance Tolerance Per Section In Percent:
-5.0 to 5.0 all sections
Actuator Travel Control Feature:
Stops
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
60.0 all sections
Standard Taper Curve Per Section:
A all sections
Test Data Document:
97942-579r644 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Terminal Type And Quantity:
6 turret
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Fiig:
A002a0