

View Online at https://aerobasegroup.com/nsn/5905-00-185-1813

# Section Quantity:

1

Body Style:

Cylindrical bushing mounted

# **Reliability Indicator:**

Not established

#### **Overall Length:**

2.270 inches

#### **Body Diameter:**

0.875 inches

### Shaft Diameter:

0.2497 inches

#### Shaft Length:

0.810 inches

# Mounting Bushing Length:

# 0.312 inches

**Body Length:** 

#### 1.460 inches

Shaft Style:

#### Round

Shaft Bearing Type:

### Sleeve

Actuator Type:

# Single shaft

### Effective Electrical Rotation In Deg Angular Rotation:

3600.0

### Maximum Starting Torque:

0.50 inch-ounces

### Maximum Running Torque:

0.50 inch-ounces

#### Nonturn Device Location:

At 6 oclock

#### Nonturn Device Radius:

0.300 inches

#### Shaft End Play:

0.005 inches

#### Shaft Runout:

0.001 inches

# Lateral Runout:

0.003 inches

# **Pilot Diameter Runout:**

0.001 inches



**Shaft Radial Play:** 0.003 inches **Fragility Factor:** Moderately rugged **Screw Thread Diameter:** 0.375 inches Screw Thread Series Designator: Unef Screw Thready Qty Per Inch (tpi): 32.0 **Terminal Location:** Longitudinally positioned on the circumference **Mounting Method:** Clamp ring and standard bushing **Electrical Resistance Per Section:** 2.0 percent, rated amperes c and better flooring **Rotary Actuator Travel In Angular Deg:** 3600.0 **Function Conformity Tolerance Per Section:** -0.20/+0.20 single section Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power: 125.0 single section Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius: -70.0/+70.0 single section **Power Dissipation Rating Per Section In Watts:** 2.5 7th secondary quality **Function Conformity Per Section:** Single section independent linearity **Resistance Tolerance Per Section In Percent:** -1.0/+1.0 single section **Actuator Travel Control Feature:** Stops **Function Characteristic Per Section:** 7 oclock all primaries Ambient Tempurature In Deg Celsius Per Section At Full Rated Power: 60.0 single section **Precious Material And Location:** Terminals gold **Precious Material:** Gold **Terminal Type And Quantity:** 3 turret Shelf Life:

N/a



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A002a0