NSN 5905-00-187-0022

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-187-0022

Section Quantity:
1
Body Style:
Cylindrical bushing mounted
Reliability Indicator:
Not established
Body Diameter:
3.375 inches
Mounting Hole Diameter:
0.125 inches
Shaft Diameter:
0.373 inches
Shaft Length:
4.375 inches
Body Length:
2.156 inches
Shaft Style:
Round
Actuator Type:
Single shaft
Mounting Facility Quantity:
3
Terminal Location:
Rear end
Mounting Method:
Unthreaded hole
Electrical Resistance Per Section:
19.238 kilohms single section
Nonstandard Taper Curve At Specificationific Percent Resistance Change Per Section:
3.26 pct cw rotation 3 pct resistance
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
120.0 single section
120.0 single section Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:
Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:
Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius: -20.0 to 20.0 single section
Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius: -20.0 to 20.0 single section Power Dissipation Rating Per Section In Watts:
Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius: -20.0 to 20.0 single section Power Dissipation Rating Per Section In Watts: 5.0 free air single section
Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius: -20.0 to 20.0 single section Power Dissipation Rating Per Section In Watts: 5.0 free air single section Resistance Tolerance Per Section In Percent:
Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius: -20.0 to 20.0 single section Power Dissipation Rating Per Section In Watts: 5.0 free air single section Resistance Tolerance Per Section In Percent: -5.0 to 5.0 single section
Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius: -20.0 to 20.0 single section Power Dissipation Rating Per Section In Watts: 5.0 free air single section Resistance Tolerance Per Section In Percent: -5.0 to 5.0 single section Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

NSN 5905-00-187-0022

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Terminal Type And Quantity:
3 screw
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A002a0