NSN 5905-00-212-3574

Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-212-3574 **Section Quantity: Body Style:** Rectangular **Reliability Indicator:** Not established **Terminal Length:** 0.172 inches **Shaft Diameter:** Between 0.060 inches and 0.090 inches **Shaft Length:** 0.050 inches **Body Length:** Between 0.230 inches and 0.270 inches **Body Width:** Between 0.145 inches and 0.185 inches **Body Height:** Between 0.230 inches and 0.270 inches **Shaft Style:** Round, slotted **Actuator Type:** Single shaft **Effective Electrical Rotation In Deg Angular Rotation:** Between 3600.0 and 9000.0 **Maximum Starting Torque:** 3.00 inch-ounces **Maximum Running Torque:** 3.00 inch-ounces **Center To Center Distance Between Terminals:** 0.200 inches **Fragility Factor:** Moderately rugged **Terminal Location:** Rear end **Mounting Method: Terminal Cubic Measure:** 0.013 cubic inches **Electrical Resistance Per Section:**

1.0 megohms single section

Rotary Actuator Travel In Angular Deg:

Between 3600.0 and 9000.0

NSN 5905-00-212-3574

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2



| Center | To | Center | Distance | Between | Center | Terminal | And | Outside | Terminal: |
|--------|----|--------|-----------------|---------|--------|-----------------|-----|----------------|-----------|
|--------|----|--------|-----------------|---------|--------|-----------------|-----|----------------|-----------|

0.100 inches

Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

150.0 single section

Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:

-100.0 to 100.0 single section

Power Dissipation Rating Per Section In Watts:

0.25 free air single section

Resistance Tolerance Per Section In Percent:

-10.0 to 10.0 single section

Actuator Travel Control Feature:

Clutch

Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

85.0 single section

Standard Taper Curve Per Section:

A single section

Test Data Document:

81349-mil-r-22097 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

3 pin

Specification Data:

81349-mil-r-22097/5 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0