NSN 5905-00-222-7645

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-222-7645

Section Quantity:
Body Style:
Cylindrical Published to the standard of the s
Reliability Indicator:
Not established
Overall Length:
1.749 inches
Terminal Length:
1.500 inches
Body Diameter:
0.360 inches
Body Length:
0.249 inches
Overall Diameter:
0.360 inches
Actuator Type:
Flush drive with slot-hole
Effective Electrical Rotation In Deg Angular Rotation:
300.0
Maximum Stop Torque:
10.00 inch-ounces
Center To Center Distance Between Terminals:
0.200 inches
Terminal Location:
Rear end
Mounting Method:
Terminal
Electrical Resistance Per Section:
200.000 ohms single section
Rotary Actuator Travel In Angular Deg:
332.0
Center To Center Distance Between Center Terminal And Outside Terminal:
0.100 inches
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
175.0 single section
Power Dissipation Rating Per Section In Watts:
1.25 free air single section
Resistance Tolerance Per Section In Percent:
-5.0 to 5.0 single section
Actuator Travel Control Feature:
Stops

NSN 5905-00-222-7645

Fiig: A002a0

Nonprecision Wire Wound Variable Resistor - Page 2 of 2

