

View Online at https://aerobasegroup.com/nsn/5905-00-230-7600

### Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-10.0/+10.0

#### **Electrical Resistance:**

786.600 ohms

**Resistance Tolerance In Percent:** 

-0.100/+0.100

#### Ambient Tempurature In Deg Celsius At Full Rated Power:

#### 125.0

#### Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

145.0

#### Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-65.0/+145.0

#### **Inclosure Method:**

Encapsulated

#### **Terminal Type:**

# Wire lead

Reliability Indicator:

## Established

**Reliability Failure Rate Level In Percent:** 

0.010

#### Terminal Length:

Between 1.875 inches and 2.125 inches

#### **Body Diameter:**

Between 0.173 inches and 0.203 inches

#### **Body Length:**

Between 0.485 inches and 0.515 inches

#### **Power Dissipation Rating In Watts:**

0.125 free air

#### Cubic Measure (non-core):

0.014 cubic inches

#### Unpackaged Unit Weight:

1.5 grams

#### Style Designator:

Axial terminal each end

#### Test Data Document:

06481-900610 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

#### Shelf Life:

N/a

#### Unit Of Measure:

--

#### Demilitarization:

No

# NSN 5905-00-230-7600

Noninductive Wire Wound Fixed Resistor - Page 2 of 2

Fiig: A001a0

