NSN 5905-00-232-1824

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-232-1824 **Section Quantity:** 3 **Body Style:** Cylindrical servo mounted **Reliability Indicator:** Not established **Pilot Diameter:** 0.9688 inches Pilot Length: 0.0620 inches **Undercut Diameter:** 1.625 inches **Undercut Width:** 0.0730 inches **Body Diameter:** 1.761 inches **Shaft Diameter:** 0.1247 inches **Shaft Length:** 2.656 inches **Body Length:** 2.031 inches **Mounting Lip Diameter:** 1.7500 inches **Mounting Lip Depth:** 0.0930 inches **Shaft Style:** Round, slotted **Shaft Bearing Type:** Bearing **Actuator Type:** Double ended shaft **Effective Electrical Rotation In Deg Angular Rotation:** 360.0 **Maximum Starting Torque:** 2.10 inch-ounces **Maximum Running Torque:**

2.10 inch-ounces

Fragility Factor:

Moderately rugged

Terminal Location:

Radially positioned over less than half the circumference

NSN 5905-00-232-1824

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Mounting Method:
Clamp ring
Features Provided:
Humidity proof
Electrical Resistance Per Section:
30.000 percent, rated amperes c and better finish
Rotary Actuator Travel In Angular Deg:
360.0
Function Conformity Tolerance Per Section:
-0.0025/+0.0025 1st section
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
150.0 all sections
Power Dissipation Rating Per Section In Watts:
2.0 7th secondary finish
Function Conformity Per Section:
All sections absolute conformity
Resistance Tolerance Per Section In Percent:
-5.0/+5.0 1st section
Actuator Travel Control Feature:
Continuous motion
Function Characteristic Per Section:
All sections table
Tempurature Coefficient Of Resistance Wire Per Section In Ppm Per Deg Celsius:
-400.0/+400.0 3rd section
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
85.0 all sections
Test Data Document:
97151-8532039 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Terminal Type And Quantity:
11 turret
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A002a0