NSN 5905-00-233-6188

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-233-6188 **Section Quantity: Body Style:** Rectangular w/mounting holes **Overall Length:** 0.495 inches **Terminal Length:** 0.135 inches **Overall Height:** 0.434 inches **Overall Width:** 0.298 inches **Body Length:** 0.360 inches **Actuator Type:** Dual concentric **Maximum Running Torque:** 5.00 inch-ounces **Nonturn Device Radius:** 0.030 inches **Center To Center Distance Between Terminals:** 0.300 inches **Electrical Resistance Per Section:** 5.000 kilohms single section **Rotary Actuator Travel In Angular Deg:** 270.0 **Center To Center Distance Between Center Terminal And Outside Terminal:** 0.150 inches Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius: -100.0 to 300.0 single section **Resistance Tolerance Per Section In Percent:** -20.0 to 20.0 single section **Actuator Travel Control Feature:** Stops Ambient Tempurature In Deg Celsius Per Section At Full Rated Power: 25.0 single section **Standard Taper Curve Per Section:** A single section **Terminal Type And Quantity:** 3 wire lead

N/a

Shelf Life:

NSN 5905-00-233-6188

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



		• -						
	In		Of	RЛ	മാ	CI	ır	Δ.
L	,,,			IVI	ca			

--

Demilitarization:

No

Fiig:

A002a0