Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-233-6188

Section Quantity:

1

Body Style:

Rectangular w/mounting holes

Overall Length:

0.495 inches

Terminal Length:

0.135 inches

Overall Height:

0.434 inches

Overall Width:

0.298 inches

Body Length:

0.360 inches

Actuator Type:

Dual concentric

Maximum Running Torque:

5.00 inch-ounces

Nonturn Device Radius:

0.030 inches

Center To Center Distance Between Terminals:

0.300 inches

Electrical Resistance Per Section:

5.000 kilohms single section

Rotary Actuator Travel In Angular Deg:

270.0

Center To Center Distance Between Center Terminal And Outside Terminal:

0.150 inches

Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:

-100.0 to 300.0 single section

Resistance Tolerance Per Section In Percent:

-20.0 to 20.0 single section

Actuator Travel Control Feature:

Stops

Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

25.0 single section

Standard Taper Curve Per Section:

A single section

Terminal Type And Quantity:

3 wire lead

Shelf Life:

N/a

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Unit Of Measure:

Demilitarization:

No

Fiig:

A002a0