NSN 5905-00-234-3887

Section Quantity:

Rectangular bushing mounted

Body Style:

Shaft Diameter:

Motor Driven Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-234-3887

Between 0.2494 inches and 0.2497 inches
Shaft Length:
0.812 inches
Mounting Bushing Length:
0.375 inches
Body Length:
3.905 inches
Body Width:
1.812 inches
Body Height:
1.812 inches
Shaft Style:
Round
Effective Electrical Rotation In Deg Angular Rotation:
3600.0
Screw Thread Diameter:
0.375 inches
Screw Thread Series Designator:
Unef
Screw Thready Qty Per Inch (tpi):
32.0
Motor Type:
Induction
Mounting Method:
Standard bushing
Electrical Resistance Per Section:
500.0 kilohms single section
Function Conformity Tolerance Per Section:
-0.25/+0.25 single section
Power Dissipation Rating Per Section In Watts:
5.0 free air single section
Function Conformity Per Section:
Single section independent linearity
Resistance Tolerance Per Section In Percent:
-3.0/+3.0 single section
Function Characteristic Per Section:
Single section linear

NSN 5905-00-234-3887

Motor Driven Variable Resistor - Page 2 of 2



Resistance Element Type Per Section: Single section wire wound Motor Voltage Type And Rating In Volts: 4.5 dc Gear Ratio: 1.70 Terminal Type And Quantity: 2 pin and 3 tab, solder lug Shelf Life: N/a Unit Of Measure: --Demilitarization: No

Fiig: A502h0