## NSN 5905-00-250-7448

Thermal Resistor - Page 1 of 2





## **Reliability Indicator:** Not established **Terminal Length:** 1.500 inches **Body Outside Diameter:** Between 0.380 inches and 0.500 inches **Body Width:** 0.360 inches **Terminal Diameter:** Between 0.022 inches and 0.028 inches **Maximum Power Dissipation Rating:** 1.00 watts Ambient Tempurature At Full Rated Power: 25.0 degrees celsius Maximum Operating Temp: 125.0 degrees celsius **Thermal Time Constant In Seconds:** 250.0 Power Dissipation Constant In Milliwatts Per Deg Celsius: 10.0 Tempurature Points For Resistance Readings At Zero Power: 75.0 degrees celsius 5th resistance-temperature point Zero Power Resistance At Specificationified Temp: 2.5 ohms 6th resistance-temperature point **Resistance Tolerance At A Specificationified Tempurature In Percent:** -9.0/+9.0 5th resistance-temperature point Inclosure Type: Encapsulated Zero Power Resistance: 17.000 ohms Zero Power Resistance Tolerance In Percent At Reference Temp: -5.0/+5.0 Style Designator: Spherical **Test Data Document:** 81349-mil-t-23648/2 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Terminal Type And Quantity:** 2 wire lead Shelf Life:

N/a

---

Unit Of Measure:

## NSN 5905-00-250-7448

Thermal Resistor - Page 2 of 2

Demilitarization:

No

Fiig:

A086a0

