## NSN 5905-00-250-8058

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-250-8058 **Section Quantity:** 1 **Body Style:** Rectangular w/mounting holes **Reliability Indicator:** Not established **Mounting Hole Diameter:** 0.077 inches **Shaft Diameter:** 0.093 inches **Shaft Length:** 0.045 inches **Body Length:** 0.375 inches **Body Width:** 0.190 inches **Body Height:** 0.375 inches **Shaft Style:** Round, slotted **Shaft Bearing Type:** Bearing **Actuator Type:** Single shaft **Effective Electrical Rotation In Deg Angular Rotation:** 9000.0 **Maximum Starting Torque:** 5.00 inch-ounces **Maximum Running Torque:** 5.00 inch-ounces **Lateral Distance Between Mounting Hole Centers:** 0.375 inches **Mounting Facility Quantity:** 2 **Terminal Location:** Rear end **Mounting Method:** Unthreaded hole

Features Provided:
Nonmetallic shaft
Flactrical Posistance Po

**Electrical Resistance Per Section:** 

10.0 kilohms single section

## NSN 5905-00-250-8058

Fiig: A002a0

Nonprecision Wire Wound Variable Resistor - Page 2 of 2

