NSN 5905-00-255-9403

Noninductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-255-9403

| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius: |
|--|
| -20.0/+20.0 |
| Electrical Resistance: |
| 27.000 kilohms |
| Resistance Tolerance In Percent: |
| -10.000/+10.000 |
| Ambient Tempurature In Deg Celsius At Full Rated Power: |
| 25.0 |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: |
| 120.0 |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius: |
| -55.0/+120.0 |
| Inclosure Method: |
| Encapsulated |
| Terminal Type: |
| Wire lead |
| Reliability Indicator: |
| Not established |
| Terminal Length: |
| 0.875 inches |
| Body Length: |
| 20.000 inches |
| Body Width: |
| 14.000 inches |
| Body Height: |
| 9.000 inches |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: |
| 18.500 inches |
| Power Dissipation Rating In Watts: |
| 0.300 free air |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: |
| 12.000 inches |
| Mounting Hole Size: |
| 0.438 inches |
| Style Designator: |
| Terminals one side |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |

No

NSN 5905-00-255-9403

Noninductive Wire Wound Fixed Resistor - Page 2 of 2



Fiig:

A001a0