Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-257-7488

# Section Quantity:

1

**Reliability Indicator:** 

Not established

#### Shaft Diameter:

0.219 inches

Shaft Length:

0.250 inches

#### **Overall Diameter:**

2.000 inches

Shaft Style:

#### Round

Actuator Type:

#### Single shaft

#### Effective Electrical Rotation In Deg Angular Rotation:

\_\_\_\_\_

# 320.0

Maximum Starting Torque:

1.00 inch-ounces

#### Maximum Running Torque:

0.50 inch-ounces

# Screw Thread Diameter:

0.138 inches

#### Screw Thread Series Designator:

Unc

#### Screw Thready Qty Per Inch (tpi):

32.0

## **Mounting Facility Quantity:**

3

#### Mounting Method:

Threaded hole

#### **Electrical Resistance Per Section:**

200.000 ohms single section

#### **Function Conformity Tolerance Per Section:**

-1.00/+1.00 single section

#### **Power Dissipation Rating Per Section In Watts:**

4.0 free air single section

#### **Function Conformity Per Section:**

Single section independent linearity

#### **Resistance Tolerance Per Section In Percent:**

-5.0/+5.0 single section

# Terminal Type And Quantity:

6 solder stud

# NSN 5905-00-257-7488

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0