NSN 5905-00-257-9237

Noninductive Wire Wound Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-257-9237

| 20.000 kilohms Resistance Tolerance In Percent: -5.000/+5.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 25.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 275.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.313 inches Body Diameter: 0.594 inches Body Length: 2.000 inches Power Dissipation Rating In Watts: 12.000 free air Terminal Width: 0.328 inches Style Designator: Radial terminal each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A001a0 | Electrical Resistance: |
|---|---|
| -5.000/+5.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 25.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 275.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.313 inches Body Diameter: 0.594 inches Body Length: 2.000 inches Power Dissipation Rating In Watts: 12.000 free air Terminal Width: 0.328 inches Style Designator: Radial terminal each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | 20.000 kilohms |
| Ambient Tempurature In Deg Celsius At Full Rated Power: 25.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 275.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.313 inches Body Diameter: 0.594 inches Body Length: 2.000 inches Power Dissipation Rating In Watts: 12.000 free air Terminal Width: 0.328 inches Style Designator: Radial terminal each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Filig: | Resistance Tolerance In Percent: |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 275.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.313 inches Body Diameter: 0.594 inches Body Length: 2.000 inches Power Dissipation Rating In Watts: 12.000 free air Terminal Width: 0.328 inches Style Designator: Radial terminal each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | -5.000/+5.000 |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 275.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.313 inches Body Diameter: 0.594 inches Body Length: 2.000 inches Power Dissipation Rating In Watts: 12.000 free air Terminal Width: 0.328 inches Style Designator: Radial terminal each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | Ambient Tempurature In Deg Celsius At Full Rated Power: |
| 275.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.313 inches Body Diameter: 0.594 inches Body Length: 2.000 inches Power Dissipation Rating In Watts: 12.000 free air Terminal Width: 0.328 inches Style Designator: Radial terminal each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | 25.0 |
| Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.313 inches Body Diameter: 0.594 inches Body Length: 2.000 inches Power Dissipation Rating In Watts: 12.000 free air Terminal Width: 0.328 inches Style Designator: Radial terminal each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: |
| Encapsulated Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.313 inches Body Diameter: 0.594 inches Body Length: 2.000 inches Power Dissipation Rating In Watts: 12.000 free air Terminal Width: 0.328 inches Style Designator: Radial terminal each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | 275.0 |
| Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.313 inches Body Diameter: 0.594 inches Body Length: 2.000 inches Power Dissipation Rating In Watts: 12.000 free air Terminal Width: 0.328 inches Style Designator: Radial terminal each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | Inclosure Method: |
| Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.313 inches Body Diameter: 0.594 inches Body Length: 2.000 inches Power Dissipation Rating In Watts: 12.000 free air Terminal Width: 0.328 inches Style Designator: Radial terminal each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | Encapsulated |
| Reliability Indicator: Not established Terminal Length: 0.313 inches Body Diameter: 0.594 inches Body Length: 2.000 inches Power Dissipation Rating In Watts: 12.000 free air Terminal Width: 0.328 inches Style Designator: Radial terminal each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | Terminal Type: |
| Not established Terminal Length: 0.313 inches Body Diameter: 0.594 inches Body Length: 2.000 inches Power Dissipation Rating In Watts: 12.000 free air Terminal Width: 0.328 inches Style Designator: Radial terminal each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | Tab, solder lug |
| Terminal Length: 0.313 inches Body Diameter: 0.594 inches Body Length: 2.000 inches Power Dissipation Rating In Watts: 12.000 free air Terminal Width: 0.328 inches Style Designator: Radial terminal each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | Reliability Indicator: |
| 0.313 inches Body Diameter: 0.594 inches Body Length: 2.000 inches Power Dissipation Rating In Watts: 12.000 free air Terminal Width: 0.328 inches Style Designator: Radial terminal each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | Not established |
| Body Diameter: 0.594 inches Body Length: 2.000 inches Power Dissipation Rating In Watts: 12.000 free air Terminal Width: 0.328 inches Style Designator: Radial terminal each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | Terminal Length: |
| 0.594 inches Body Length: 2.000 inches Power Dissipation Rating In Watts: 12.000 free air Terminal Width: 0.328 inches Style Designator: Radial terminal each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | 0.313 inches |
| Body Length: 2.000 inches Power Dissipation Rating In Watts: 12.000 free air Terminal Width: 0.328 inches Style Designator: Radial terminal each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | Body Diameter: |
| 2.000 inches Power Dissipation Rating In Watts: 12.000 free air Terminal Width: 0.328 inches Style Designator: Radial terminal each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | 0.594 inches |
| Power Dissipation Rating In Watts: 12.000 free air Terminal Width: 0.328 inches Style Designator: Radial terminal each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | Body Length: |
| 12.000 free air Terminal Width: 0.328 inches Style Designator: Radial terminal each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | 2.000 inches |
| Terminal Width: 0.328 inches Style Designator: Radial terminal each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | Power Dissipation Rating In Watts: |
| 0.328 inches Style Designator: Radial terminal each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | 12.000 free air |
| Style Designator: Radial terminal each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | Terminal Width: |
| Radial terminal each end Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | 0.328 inches |
| Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: | Style Designator: |
| N/a Unit Of Measure: Demilitarization: No Fiig: | Radial terminal each end |
| Unit Of Measure: Demilitarization: No Fiig: | Shelf Life: |
| Demilitarization: No Fiig: | N/a |
| No Fiig: | Unit Of Measure: |
| No Fiig: | |
| Fiig: | Demilitarization: |
| | No |
| A001a0 | Fiig: |
| | A001a0 |
| | |