NSN 5905-00-267-9481

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-267-9481 **Section Quantity: Body Style:** Rectangular **Reliability Indicator:** Not established **Overall Length:** 0.870 inches **Terminal Length:** Between 0.130 inches and 0.160 inches **Overall Height:** 0.455 inches **Overall Width:** Between 0.150 inches and 0.170 inches **Shaft Diameter:** Between 0.105 inches and 0.115 inches **Shaft Length:** Between 0.110 inches and 0.130 inches **Body Length:** Between 0.650 inches and 0.850 inches **Body Width:** Between 0.150 inches and 0.170 inches **Body Height:** Between 0.300 inches and 0.320 inches **Shaft Style:** Round, slotted **Actuator Type:** Single shaft **Effective Electrical Rotation In Deg Angular Rotation:** 360.0 **Center To Center Distance Between Terminals:** 0.500 inches **Terminal Location:** Lower adjacent side single row **Mounting Method: Terminal Center To Center Distance Between Terminal Rows:** 0.010 inches **Electrical Resistance Per Section:**

10.0 kilohms single section **Rotary Actuator Travel In Angular Deg:** 9000.0

NSN 5905-00-267-9481

Fiig: A002a0

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Center To Center Distance Between Center Terminal And Outside Terminal:
0.300 inches
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
75.0 single section
Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:
30.0 to 30.0 single section
Power Dissipation Rating Per Section In Watts:
0.5 free air single section
Resistance Tolerance Per Section In Percent:
10.0 to 10.0 single section
Actuator Travel Control Feature:
Continuous motion
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
70.0 single section
Standard Taper Curve Per Section:
A single section
Test Data Document:
07690-418814 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Ferminal Type And Quantity:
3 pin
Shelf Life:
N/a
Jnit Of Measure:
-
Demilitarization:
No