NSN 5905-00-272-6590

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-272-6590

Section Quantity:				
1				
Body Style:				
Cylindrical bushing mounted				
Reliability Indicator:				
Not established				
Body Diameter:				
4.000 inches				
Shaft Diameter:				
0.312 inches				
Shaft Length:				
1.375 inches				
Mounting Bushing Length:				
0.438 inches				
Body Length:				
2.000 inches				
Shaft Style:				
Round				
Actuator Type:				
Single shaft				
Screw Thread Diameter:				
0.438 inches				
Screw Thread Series Designator:				
Unef				
Screw Thready Qty Per Inch (tpi):				
32.0				
Terminal Location:				
Radially positioned over less than half the circumference				
Mounting Method:				
Standard bushing				
Electrical Resistance Per Section:				
140.0 ohms single section				
Power Dissipation Rating Per Section In Watts:				
150.0 free air single section				
Fixed Tap Quantity Per Section:				
1 single section				
Resistance Tolerance Per Section In Percent:				
-10.0 to 10.0 single section				
Tap Location From Ccw Terminal Per Section In Ohms:				
70.0 single section				
Standard Taper Curve Per Section:				

A single section

NSN 5905-00-272-6590

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Termii	nal Typ	e And	Quantity:
3 tab,	solder l	ug	

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0