NSN 5905-00-279-3172

Film Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-279-3172

-500.0/+500.0 Electrical Resistance: 90.000 megohms Resistance Tolerance In Percent: -2.000/+2.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 50.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -65.0/+150.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.293 inches Body Length: 2.062 inches Power Dissipation Rating In Watts: 2.000 free air Style Designator: Axial terminal each end
90.000 megohms Resistance Tolerance In Percent: -2.000/+2.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 50.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -65.0/+150.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.293 inches Body Length: 2.062 inches Power Dissipation Rating In Watts: 2.000 free air Style Designator:
Resistance Tolerance In Percent: -2.000/+2.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 50.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -65.0/+150.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.293 inches Body Length: 2.062 inches Power Dissipation Rating In Watts: 2.000 free air Style Designator:
-2.000/+2.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 50.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -65.0/+150.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.293 inches Body Length: 2.062 inches Power Dissipation Rating In Watts: 2.000 free air Style Designator:
Ambient Tempurature In Deg Celsius At Full Rated Power: 50.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -65.0/+150.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.293 inches Body Length: 2.062 inches Power Dissipation Rating In Watts: 2.000 free air Style Designator:
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -65.0/+150.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.293 inches Body Length: 2.062 inches Power Dissipation Rating In Watts: 2.000 free air Style Designator:
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 125.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -65.0/+150.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.293 inches Body Length: 2.062 inches Power Dissipation Rating In Watts: 2.000 free air Style Designator:
Tempurature Range Of Tempurature Coefficient In Deg Celsius: -65.0/+150.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.293 inches Body Length: 2.062 inches Power Dissipation Rating In Watts: 2.000 free air Style Designator:
Tempurature Range Of Tempurature Coefficient In Deg Celsius: -65.0/+150.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.293 inches Body Length: 2.062 inches Power Dissipation Rating In Watts: 2.000 free air Style Designator:
-65.0/+150.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.293 inches Body Length: 2.062 inches Power Dissipation Rating In Watts: 2.000 free air Style Designator:
Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.293 inches Body Length: 2.062 inches Power Dissipation Rating In Watts: 2.000 free air Style Designator:
Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.293 inches Body Length: 2.062 inches Power Dissipation Rating In Watts: 2.000 free air Style Designator:
Terminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.293 inches Body Length: 2.062 inches Power Dissipation Rating In Watts: 2.000 free air Style Designator:
Wire lead Reliability Indicator: Not established Body Diameter: 0.293 inches Body Length: 2.062 inches Power Dissipation Rating In Watts: 2.000 free air Style Designator:
Reliability Indicator: Not established Body Diameter: 0.293 inches Body Length: 2.062 inches Power Dissipation Rating In Watts: 2.000 free air Style Designator:
Not established Body Diameter: 0.293 inches Body Length: 2.062 inches Power Dissipation Rating In Watts: 2.000 free air Style Designator:
Body Diameter: 0.293 inches Body Length: 2.062 inches Power Dissipation Rating In Watts: 2.000 free air Style Designator:
0.293 inches Body Length: 2.062 inches Power Dissipation Rating In Watts: 2.000 free air Style Designator:
Body Length: 2.062 inches Power Dissipation Rating In Watts: 2.000 free air Style Designator:
2.062 inches Power Dissipation Rating In Watts: 2.000 free air Style Designator:
Power Dissipation Rating In Watts: 2.000 free air Style Designator:
2.000 free air Style Designator:
Style Designator:
Axial terminal each end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A001a0