Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-295-3801

#### Section Quantity:

1

Body Style:

Cylindrical bushing mounted

## **Overall Length:**

3.937 inches

#### First Flat Length:

3.000 inches

#### Flat Height:

0.216 inches

#### Body Diameter:

1.438 inches

#### Shaft Diameter:

0.250 inches

#### Shaft Length:

#### 3.250 inches

#### Mounting Bushing Length:

0.375 inches

#### **Body Length:**

0.562 inches

#### Shaft Style:

Round, flatted

#### Actuator Type:

Single shaft

#### Screw Thread Diameter:

0.375 inches

#### Screw Thread Series Designator:

Unef

#### Screw Thready Qty Per Inch (tpi):

32.0

## Mounting Method:

Standard bushing

## **Electrical Resistance Per Section:**

30.000 ohms single section

## Power Dissipation Rating Per Section In Watts:

3.0 free air single section

## **Resistance Tolerance Per Section In Percent:**

-10.0 to 10.0 single section

## Standard Taper Curve Per Section:

A single section

# Terminal Type And Quantity:

3 tab, solder lug

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0