NSN 5905-00-299-8000

Noninductive Wire Wound Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-299-8000

#55.0/+105.0 Electrical Resistance: 5.452 kilohms Resistance Tolerance In Percent: -0.100/+0.100 Ambient Tempurature In Deg Celsius At Full Rated Power: 66.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 121.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: +0.0/+60.0
5.452 kilohms Resistance Tolerance In Percent: -0.100/+0.100 Ambient Tempurature In Deg Celsius At Full Rated Power: 66.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 121.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius:
Resistance Tolerance In Percent: -0.100/+0.100 Ambient Tempurature In Deg Celsius At Full Rated Power: 66.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 121.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-0.100/+0.100 Ambient Tempurature In Deg Celsius At Full Rated Power: 66.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 121.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius:
Ambient Tempurature In Deg Celsius At Full Rated Power: 66.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 121.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius:
66.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 121.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius:
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 121.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius:
121.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius:
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
10.0/160.0
TU.U/TUU.U
Inclosure Method:
Hermetically sealed
Terminal Type:
Wire lead
Reliability Indicator:
Not established
Body Diameter:
0.375 inches
Body Length:
1.000 inches
Power Dissipation Rating In Watts:
0.250 free air
Style Designator:
Axial terminal each end
Test Data Document:
64959-ga10684 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A001a0