NSN 5905-00-302-5114

Inductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-302-5114

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
-30.0/+30.0
Electrical Resistance:
562.000 ohms
Resistance Tolerance In Percent:
-1.000/+1.000
Heat Sink Material:
Aluminum alloy
Heat Sink Length:
7.000 inches
Heat Sink Width:
5.000 inches
Heat Sink Height:
2.000 inches
Heat Sink Thickness:
0.040 inches
Ambient Tempurature In Deg Celsius At Full Rated Power:
25.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
275.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-55.0/+275.0
Inclosure Method:
Inclosure Method: Encased
Encased
Encased Terminal Type:
Encased Terminal Type: Tab, solder lug
Encased Terminal Type: Tab, solder lug Reliability Indicator:
Encased Terminal Type: Tab, solder lug Reliability Indicator: Established
Encased Terminal Type: Tab, solder lug Reliability Indicator: Established Reliability Failure Rate Level In Percent: 0.010
Encased Terminal Type: Tab, solder lug Reliability Indicator: Established Reliability Failure Rate Level In Percent:
Encased Terminal Type: Tab, solder lug Reliability Indicator: Established Reliability Failure Rate Level In Percent: 0.010 Terminal Length: 0.438 inches
Encased Terminal Type: Tab, solder lug Reliability Indicator: Established Reliability Failure Rate Level In Percent: 0.010 Terminal Length:
Encased Terminal Type: Tab, solder lug Reliability Indicator: Established Reliability Failure Rate Level In Percent: 0.010 Terminal Length: 0.438 inches Body Length: 1.938 inches
Encased Terminal Type: Tab, solder lug Reliability Indicator: Established Reliability Failure Rate Level In Percent: 0.010 Terminal Length: 0.438 inches Body Length: 1.938 inches Body Width:
Encased Terminal Type: Tab, solder lug Reliability Indicator: Established Reliability Failure Rate Level In Percent: 0.010 Terminal Length: 0.438 inches Body Length: 1.938 inches Body Width: 0.594 inches
Encased Terminal Type: Tab, solder lug Reliability Indicator: Established Reliability Failure Rate Level In Percent: 0.010 Terminal Length: 0.438 inches Body Length: 1.938 inches Body Width:
Encased Terminal Type: Tab, solder lug Reliability Indicator: Established Reliability Failure Rate Level In Percent: 0.010 Terminal Length: 0.438 inches Body Length: 1.938 inches Body Width: 0.594 inches Body Height: 0.625 inches
Encased Terminal Type: Tab, solder lug Reliability Indicator: Established Reliability Failure Rate Level In Percent: 0.010 Terminal Length: 0.438 inches Body Length: 1.938 inches Body Width: 0.594 inches Body Height:

10.000 free air

NSN 5905-00-302-5114

A001a0

Inductive Wire Wound Fixed Resistor - Page 2 of 2



Mounting Hole Size:
0.125 inches
Style Designator:
Axial terminal (s)
Test Data Document:
81349-mil-r-39009 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiia·