

View Online at https://aerobasegroup.com/nsn/5905-00-320-0648

Section Quantity:
1
Reliability Indicator:
Not established
Shaft Style:
Round, slotted
Actuator Type:
Single shaft
Effective Electrical Rotation In Deg Angular Rotation:
3384.0
Mechanical Backlash In Deg Angular Rotation:
0.1
Screw Thread Diameter:
0.190 inches
Screw Thread Series Designator:
Unc
Screw Thready Qty Per Inch (tpi):
24.0
Mounting Facility Quantity:
2
Terminal Location:
Radially positioned over more than half the circumference
Mounting Method:
Threaded hole
Features Provided:
Humidity proof
Electrical Resistance Per Section:
4.75 kilohms single section
Rotary Actuator Travel In Angular Deg:
3384.0
Function Conformity Tolerance Per Section:
-0.10/+0.10 single section
Function Conformity Per Section:
Single section zero based linearity
Resistance Tolerance Per Section In Percent:
-1.0/+1.0 single section
Actuator Travel Control Feature:
Stops
Function Characteristic Per Section:
Single section linear
Terminal Type And Quantity:
3 tab, solder lug

Precision Wire Wound Variable Resistor - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0