## NSN 5905-00-320-7659

Inductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-320-7659
Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
-30.0/+30.0
Electrical Resistance:
30.000 ohms
Resistance Tolerance In Percent:
-1.000/+1.000
Ambient Tempurature In Deg Celsius At Full Rated Power:
25.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
275.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-55.0/+275.0
Inclosure Method:
Encased
Terminal Type:
Tab, solder lug
Reliability Indicator:
Not established
Terminal Length:
Between 0.344 inches and 0.468 inches
Body Length:
Between 1.937 inches and 1.999 inches
Body Width:
Between 0.615 inches and 0.645 inches
Body Height:
Between 0.595 inches and 0.625 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
Between 1.558 inches and 1.568 inches
Power Dissipation Rating In Watts:
50.000 free air
Mounting Hole Size:
Between 0.120 inches and 0.130 inches
Cubic Measure (non-core):
0.805 cubic inches
Style Designator:
Axial terminal (s)
Test Data Document:
18876-10290324 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing,
etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Shelf Life:
N/a

\_\_

**Unit Of Measure:** 

## NSN 5905-00-320-7659

Inductive Wire Wound Fixed Resistor - Page 2 of 2



Demilitarization:

No

Fiig:

A001a0