NSN 5905-00-320-8033

Nonprecision Wire Wound Variable Resistor - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5905-00-320-8033 **Section Quantity:** 1 **Body Style:** Cylindrical servo mounted **Reliability Indicator:** Not established **Pilot Diameter:** Between 1.87400 inches and 1.87500 inches Pilot Length: 0.06200 inches **Overall Length:** 1.451 inches **Undercut Diameter:** 1.875 inches **Undercut Width:** 0.09300 inches **Body Diameter:** 2.000 inches **Shaft Diameter:** Between 0.2494 inches and 0.2497 inches **Shaft Length:** 0.625 inches **Body Length:** 0.826 inches **Overall Diameter:** 2.203 inches **Mounting Lip Diameter:** Between 1.99000 inches and 2.00500 inches **Mounting Lip Depth:** 0.08300 inches **Shaft Style:** Round **Shaft Bearing Type:** Ball **Actuator Type:** Single shaft **Effective Electrical Rotation In Deg Angular Rotation:** 350.0 **Maximum Starting Torque:**

1.00 inch-ounces

Maximum Running Torque:

0.60 inch-ounces

NSN 5905-00-320-8033

Nonprecision Wire Wound Variable Resistor - Page 2 of 3



Shaft End Play:
0.00300 inches
Shaft Runout:
0.001 inches
Lateral Runout:
0.003 inches
Pilot Diameter Runout:
0.00200 inches
Shaft Radial Play:
0.0015 inches
Terminal Location:
Longitudinally positioned on the circumference
Mounting Method:
Clamp ring
Features Provided:
Nonmetallic shaft
Electrical Resistance Per Section:
10.000 kilohms single section
Rotary Actuator Travel In Angular Deg:
360.0
Function Conformity Tolerance Per Section:
-0.30/+0.30 single section
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
125.0 single section
Power Dissipation Rating Per Section In Watts:
4.0 free air single section
Function Conformity Per Section:
Single section independent linearity
Resistance Tolerance Per Section In Percent:
-3.0/+3.0 single section
Actuator Travel Control Feature:
Continuous motion
Function Characteristic Per Section:
Single section linear
Tempurature Coefficient Of Resistance Wire Per Section In Ppm Per Deg Celsius:
-20.0/+20.0 single section
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
70.0 single section
Terminal Type And Quantity:
3 turret
Shelf Life:
N/a
Unit Of Measure:

-

NSN 5905-00-320-8033

Nonprecision Wire Wound Variable Resistor - Page 3 of 3



Demilitarization:

No

Fiig:

A002a0