NSN 5905-00-390-8565

Inductive Wire Wound Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-390-8565

Electrical Resistance:
75.000 ohms
Resistance Tolerance In Percent:
-5.000/+5.000
Ambient Tempurature In Deg Celsius At Full Rated Power:
40.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
340.0
Inclosure Method:
Encapsulated
Terminal Type:
Tab, solder lug
Reliability Indicator:
Not established
Terminal Length:
0.438 inches
Body Length:
1.250 inches
Body Width:
1.000 inches
Body Height:
Body Height: 0.312 inches
0.312 inches
0.312 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
0.312 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 2.000 inches
0.312 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 2.000 inches Power Dissipation Rating In Watts:
0.312 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 2.000 inches Power Dissipation Rating In Watts: 30.000 free air
0.312 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 2.000 inches Power Dissipation Rating In Watts: 30.000 free air Terminal Width:
0.312 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 2.000 inches Power Dissipation Rating In Watts: 30.000 free air Terminal Width: 0.188 inches
0.312 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 2.000 inches Power Dissipation Rating In Watts: 30.000 free air Terminal Width: 0.188 inches Mounting Hole Size:
0.312 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 2.000 inches Power Dissipation Rating In Watts: 30.000 free air Terminal Width: 0.188 inches Mounting Hole Size: 0.196 inches
0.312 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 2.000 inches Power Dissipation Rating In Watts: 30.000 free air Terminal Width: 0.188 inches Mounting Hole Size: 0.196 inches Style Designator:
0.312 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 2.000 inches Power Dissipation Rating In Watts: 30.000 free air Terminal Width: 0.188 inches Mounting Hole Size: 0.196 inches Style Designator: Terminals one edge
0.312 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 2.000 inches Power Dissipation Rating In Watts: 30.000 free air Terminal Width: 0.188 inches Mounting Hole Size: 0.196 inches Style Designator: Terminals one edge Shelf Life:
0.312 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 2.000 inches Power Dissipation Rating In Watts: 30.000 free air Terminal Width: 0.188 inches Mounting Hole Size: 0.196 inches Style Designator: Terminals one edge Shelf Life: N/a
0.312 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 2.000 inches Power Dissipation Rating In Watts: 30.000 free air Terminal Width: 0.188 inches Mounting Hole Size: 0.196 inches Style Designator: Terminals one edge Shelf Life: N/a
0.312 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 2.000 inches Power Dissipation Rating In Watts: 30.000 free air Terminal Width: 0.188 inches Mounting Hole Size: 0.196 inches Style Designator: Terminals one edge Shelf Life: N/a Unit Of Measure:
0.312 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 2.000 inches Power Dissipation Rating In Watts: 30.000 free air Terminal Width: 0.188 inches Mounting Hole Size: 0.196 inches Style Designator: Terminals one edge Shelf Life: N/a Unit Of Measure: Demilitarization: