Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-400-9902

Section Quantity:

1

Body Style:

Cylindrical

Reliability Indicator:

Not established

Overall Length:

0.375 inches

Body Diameter:

0.344 inches

Body Length:

0.225 inches

Overall Diameter:

0.344 inches

Switch Type:

Rotary

Switch Voltage Rating In Volts:

120.0

Actuator Type:

Flush drive with slot-hole

Switch Operating Position:

Start of rotation

Switch Contact Arrangement:

Single pole, single throw, normally open, both positions maintained

Terminal Location:

Rear end

Mounting Method:

Terminal

Features Provided:

Switch

Electrical Resistance Per Section:

200.000 ohms single section

Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

175.0 single section

Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:

-250.0 to 250.0 single section

Power Dissipation Rating Per Section In Watts:

0.125 free air single section

Resistance Tolerance Per Section In Percent:

-10.0 to 10.0 single section

Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

125.0 single section



Switch Current Type And Rating In Amps:

1.500 ac

Standard Taper Curve Per Section:

A single section

Terminal Type And Quantity:

5 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0