NSN 5905-00-401-6564

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-401-6564

Section Quantity:
1
Body Style:
Rectangular
Reliability Indicator:
Not established
Overall Length:
0.445 inches
Terminal Length:
0.300 inches
Overall Height:
0.375 inches
Overall Width:
0.375 inches
Body Length:
0.145 inches
Body Width:
0.375 inches
Body Height:
0.375 inches
Contact Arm Electrical Off Position:
Fully cw
Actuator Type:
Flush drive with slot-hole
Effective Electrical Rotation In Deg Angular Rotation:
9000.0
Maximum Running Torque:
5.00 inch-ounces
Center To Center Distance Between Terminals:
0.200 inches
Terminal Location:
Lower adjacent side single row
Mounting Method:
Terminal
Electrical Resistance Per Section:
10.0 kilohms single section
Rotary Actuator Travel In Angular Deg:
9000.0
Center To Center Distance Between Center Terminal And Outside Terminal:
0.100 inches
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

175.0 single section

NSN 5905-00-401-6564

No Fiig: A002a0

Nonprecision Wire Wound Variable Resistor - Page 2 of 2

