NSN 5905-00-405-2427

Wirewound Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-405-2427

| · |
|---|
| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius: |
| -20.0 to 20.0 |
| Electrical Resistance: |
| 89.319 kilohms intermediate resistance value |
| Resistance Tolerance In Percent: |
| -0.100 to 0.100 each resistor |
| Ambient Tempurature In Deg Celsius At Full Rated Power: |
| Not rated |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: |
| 145.0 |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius: |
| +0.0 to 65.0 |
| Inclosure Method: |
| Encapsulated |
| Terminal Quantity: |
| 10 |
| Terminal Type: |
| Pin |
| Reliability Indicator: |
| Not established |
| Terminal Length: |
| 0.125 inches |
| Body Length: |
| 1.750 inches |
| Body Width: |
| 0.800 inches |
| Body Height: |
| 0.600 inches |
| Schematic Diagram Designator: |
| Series network |
| Power Dissipation Rating In Watts: |
| 0.850 total network |
| Terminal Width: |
| 0.025 inches |
| Identical Value Resistor Quantity: |
| 4 lowest resistance value |
| Style Designator: |
| Dual inline |
| Shelf Life: |
| N/a |
| Unit Of Measure: |

--

NSN 5905-00-405-2427

Wirewound Fixed Resistor Network - Page 2 of 2



| _ | | •• | • • | | | | |
|----|----|----|-----|-----|-----|---|----|
| וו | em | ш | 112 | rız | 211 | n | ٠. |
| | | | | | | | |

No

Fiig:

A001a0