NSN 5905-00-419-2511

Noninductive Wire Wound Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-419-2511

| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius: | |
|---|------|
| -10.0/+10.0 | |
| Electrical Resistance: | |
| 51.000 kilohms | |
| Resistance Tolerance In Percent: | |
| -0.030/+0.030 | |
| Ambient Tempurature In Deg Celsius At Full Rated Power: | |
| 125.0 | |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: | |
| 145.0 | |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius: | |
| -55.0/+125.0 | |
| Inclosure Method: | |
| Encapsulated | |
| Terminal Type: | |
| Wire lead | |
| Reliability Indicator: | |
| Not established | |
| Terminal Length: | |
| 1.000 inches | |
| Body Diameter: | |
| 0.141 inches | |
| Body Length: | |
| 0.391 inches | |
| Power Dissipation Rating In Watts: | |
| 0.049 free air | |
| Style Designator: | |
| Axial terminal each end | |
| Test Data Document: | |
| 06481-900532 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, e | tc.; |
| excludes any specification, standard or other document that may be referenced in a basic governing drawing) | |
| Shelf Life: | |
| N/a | |
| Unit Of Measure: | |
| | |
| Demilitarization: | |
| No No | |
| Fiig: | |
| A001a0 | |